

elnagh

**DATI TECNICI
TECHNICAL DATA
TECHNISCHE DATEN
CARACTERISTIQUES TECHNIQUES
DATOS TECNICOS**



2016-2017

Model		BARON 22			BARON 26G			BARON 45G			BARON 53G			BARON 54G			BARON 73G			BARON 581		
Chassis	Weight OPT	FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light		
Available engines		130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet		
Diesel		EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6		
Wheelbase mm		3800			3800			3800			3800			3450			4035			4035		
Gears		6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	
Power HP		130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180
Displacement cm3		2300			2300			2300			2300			2300			2300			2300		
Power kW		96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130
max. towing capacity kg (braked)		2000			2000			2000			2000			2000			2000			2000		
Maximum permissible mass kg		3500			3500			3500			3500			3500			3500			3500		
Total mass in running order kg		2907			2992			3057			3057			2907			3077			3077		
Max. user payload kg.		593			508			443			443			593			423			423		
Maximum permissible mass kg		3650			3650			3650			3650			3650			3650			3650		
Total mass in running order kg		3017			3042			3057			3057			2907			3077			3077		
Max. user payload kg.		633			608			593			593			743			573			573		
Seats/Beds																						
Number of beds		7			6			4			4			4			4			4		
Approved seats (3500 kg)		7			6			4			4			4			4			4		
Approved seats (3650 kg)		7			6			4			4			4			4			4		
5th homologated seat in running order		-----			-----			Opt			Opt			Opt			Opt			Opt		
Cab																						
Swivel cab seats	--	-----			-----			STD			STD			STD			STD			STD		
Cab seat covers	2 kg	STD			STD			STD			STD			STD			STD			STD		
Manual cab air conditining	18 kg	Opt			Opt			Opt			Opt			Opt			Opt			STD		
Automatic cab air conditioning	18 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Automatic gear box	17 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Alloy wheels (16" only)	10 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Elegance Pack *	--	STD			STD			STD			STD			STD			STD			STD		
Equipment																						
Fresh water tank Lt. (total capacity when stopped)	--	110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.		
Fresh water tank Lt. (total capacity when on the way) **	--	20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.		
Waste water tank - Lt.	--	90 Lit.			125 Lit.			125 Lit.			125 Lit.			100 Lit.			125 Lit.			125 Lit.		
Winter Pack ***	4 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Three-way fridge L.	--	150 Lit.			150 Lit.			150 Lit.			150 Lit.			100 Lit.			150 Lit.			150 Lit.		
Cooker with burners (Nr.)	--	3			3			3			3			3			3			3		
Oven	14 kg	Opt			Opt			Opt			Opt			-----			Opt			Opt		
Gas boiler with electronic ignition - 10 Lt.		-----			-----			-----			-----			-----			-----			-----		
Heating system / Heater with air ventilation		COMBI 4			COMBI 4			COMBI 4			COMBI 4			COMBI 4			COMBI 4			COMBI 4		
Digital control panel Truma CP plus	0,5 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Heating system COMBI Diesel/COMBI EH	1,5 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Sky-Dome on cabin roof	12,5 kg	-----			-----			-----			-----			STD			STD			STD		

*) Electric rear view mirrors with defroster - Cab radio & loudspeakers pre-setting - Radio Aerial - Front bumper in white - Wheel Trim - Cab passenger airbag - ASR - Cab seats with double armrest - Cruise Control

**) Pls. Check 20 lts. filling before driving

***) WINTER PACK : Insulated waste water tank and exhaust valve with antifreezing resistor

Model		BARON 22	BARON 26G	BARON 45G	BARON 53G	BARON 54G	BARON 73G	BARON 581
Chassis	Weight OPT	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light
Rooflight living area								
Rooflight white (40 x 40 cm)	3 kg	STD	STD	STD	STD	-----	STD	STD
Turbovent (40 x 40 cm)	4 kg	Opt	Opt	Opt	Opt	-----	Opt	Opt
Rooflight HEKI II, (60x90 cm)	11 kg	-----	-----	-----	-----	-----	-----	-----
Rooflight MIDI-HEKI, (50x70 cm)	7,5 kg	Opt	Opt	Opt	-----	-----	-----	-----
Rooflight Kristall (40x40 cm)	3,5 kg	-----	-----	-----	-----	-----	-----	-----
Rooflight Kitchen area								
Rooflight MIDI-HEKI, (50x70 cm)	7,5 kg	Opt	Opt	Opt	-----	-----	-----	-----
Rooflight in bathroom (28 x 28 cm)	3 kg	STD	STD	STD	STD	-----	STD	STD
Turbovent (40 x 40 cm)	4 kg	Opt	Opt	Opt	Opt	OPT	Opt	Opt
Rooflight Kristall (40x40 cm)	3,5 kg	-----	-----	-----	-----	STD	Opt	Opt
Rooflight in the Bathroom								
Rooflight in bathroom (28 x 28 cm)	2 kg	-----	-----	-----	-----	-----	-----	-----
Turbovent (28 x 28 cm)	2,5 kg	-----	-----	-----	-----	-----	-----	-----
Rooflight Vent Kristall (28x28 cm)	2 kg	-----	-----	-----	-----	-----	-----	-----
Rear Rooflight								
Rooflight HEKI 3, (60x90 cm)	11 kg	-----	-----	-----	-----	-	-----	-----
Rooflight MIDI-HEKI, (50x70 cm)	7,5 kg	Opt	Opt	Opt	Opt	OPT	Opt	Opt
Rooflight white Vent (40 x 40 cm)	3 kg	Opt	Opt	STD	STD	-----	STD	STD
Rooflight Kristall (40x40 cm)	3,5 kg	-----	-----	-----	-----	STD	-----	-----
Turbovent (40 x 40 cm)	4 kg	-----	-----	Opt	Opt	OPT	-----	-----
12v - 220v and TV sockets	--	-----	-----	-----	-----	-----	-----	-----
3 point seat belts	--	STD	STD	STD	STD	STD	STD	STD
Cab folding bed		-----	-----	-----	-----	-----	-----	-----
Front Electric drop-down bed		-----	-----	-----	-----	STD	STD	STD
Front manual drop-down bed (A-Class)		-----	-----	-----	-----	-----	-----	-----
Chromed kitchen sink		-----	-----	-----	-----	-----	Opt	-----
Rear bed manually adjustable (garage models)		-----	-----	-----	-----	STD	-----	-----
Beds with orthopedic staves (Cab folding/drop-down bed/rear bed)		STD/----/----	STD/----/----	STD/----/STD	STD/----/STD	,---/STD/STD	,---/STD/STD	,---/STD/STD
Matress cover	2 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt
Carpet living area	7 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt
TV plate	5 kg	STD	STD	STD	STD	STD	STD	STD
Insulating mats for cab	--	STD	STD	STD	STD	STD	STD	STD
Cab pleated mats (A-Class)	7 kg	-----	-----	-----	-----	-----	-----	-----
Pleated mats + windshield roller blind - FIAT cabin	8 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt
Mosquito net for entrance door		STD	STD	STD	STD	STD	STD	STD
Entrance door with window, blinder and integrated dustbin	5 kg	-----	-----	-----	-----	-----	-----	-----
Carbon fibre finishing on dashboard		-----	-----	-----	-----	-----	-----	-----
RCA cable pre-setting for rear view camera		-----	-----	-----	-----	-----	-----	-----
Air conditioning pre-setting on living area		STD	STD	STD	STD	STD	STD	STD
COLD KIT (Outside mats for cabin + dashboard mats)	5 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt
Insulation entrance step	3 Kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt

Model		T-LOFT 400			T-LOFT 450			T-LOFT 529			T-LOFT 530			T-LOFT 531			T-LOFT 581			T-LOFT 591		
Chassis	Weight OPT	FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light		
Available engines		130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet		
Diesel		EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6		
Wheelbase mm		3800			3800			3800			4035			4035			4035			4035		
Gears		6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	
Power HP		130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180
Displacement cm3		2300			2300			2300			2300			2300			2300			2300		
Power kW		96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130
max. towing capacity kg (braked)		2000			2000			2000			2000			2000			2000			2000		
Maximum permissible mass kg		3500			3500			3500			3500			3500			3500			3500		
Total mass in running order kg		3007			3027			3077			3073			3073			3073			3073		
Max. user payload kg.		493			473			423			427			427			427			427		
Maximum permissible mass kg		3650			3650			3650			3650			3650			3650			3650		
Total mass in running order kg		3007			3027			3087			3177			3177			3177			3177		
Max. user payload kg.		643			623			563			473			473			473			473		
Seats/Beds																						
Number of beds		4			5			5			5			5			5			5		
Approved seats (3500 kg)		4			5			5			5			5			5			5		
Approved seats (3650 kg)		4			5			5			5			5			5			5		
5th homologated seat in running order		-----			-----			-----			-----			-----			-----			-----		
Cab																						
Swivel cab seats	--	STD			STD			STD			STD			STD			STD			STD		
Cab seat covers	2 kg	STD			STD			STD			STD			STD			STD			STD		
Manual cab air conditining	18 kg	STD			STD			STD			STD			STD			STD			STD		
Automatic cab air conditioning	18 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Automatic gear box	17 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Alloy wheels (16" only)	10 kg	OPT			Opt			Opt			Opt			Opt			Opt			-----		
Elegance Pack *	--	STD			STD			STD			STD			STD			STD			STD		
Equipment																						
Fresh water tank Lt. (total capacity when stopped)	--	110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.		
Fresh water tank Lt. (total capacity when on the way) **	--	20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.		
Waste water tank - Lt.	--	100 Lit.			100 Lit.			100 Lit.			100 Lit.			100 Lit.			100 Lit.			100 Lit.		
Winter Pack ***	4 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Three-way fridge L.	--	150 Lit.			150 Lit.			142 Lit.			150 Lit.			150 Lit.			150 Lit.			150 Lit.		
Cooker with burners (Nr.)	--	3			3			3			3			3			3			3		
Oven	14 kg	Opt			Opt			Opt			Opt			Opt			Opt			Opt		
Gas boiler with electronic ignition - 10 Lt.		STD			STD			STD			STD			STD			STD			STD		
Heating system / Heater with air ventilation		Webasto AT40			Webasto AT40			Webasto AT40			Webasto AT40			Webasto AT40			Webasto AT40			Webasto AT40		
Digital control panel Truma CP plus	0,5 kg	-----			-----			-----			-----			-----			-----			-----		
Heating system COMBI Diesel/COMBI EH	1,5 kg	-----			-----			-----			-----			-----			-----			-----		
Sky-Dome on cabin roof	12,5 kg	STD			STD			STD			STD			STD			STD			STD		

*) Electric rear view mirrors with defroster - Cab radio & loudspeakers pre-setting - Radio Aerial - Front bumper in white - Wheel Trim - Cab passenger airbag - ASR - Cab seats with double armrest - Cruise Control

**) Pls. Check 20 lts. filling before driving

***) WINTER PACK : Insulated waste water tank and exhaust valve with antifreezing resistor

Model		T-LOFT 400	T-LOFT 450	T-LOFT 529	T-LOFT 530	T-LOFT 531	T-LOFT 581	T-LOFT 591
Chassis	Weight OPT	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light
Rooflight living area								
Rooflight white (40 x 40 cm)	3 kg	-----	STD	-----	STD	STD	STD	-----
Turbovent (40 x 40 cm)	4 kg	-----	-----	-----	-----	-----	-----	-----
Rooflight HEKI II, (60x90 cm)	11 kg	-----	-----	-----	-----	-----	-----	-----
Rooflight MIDI-HEKI, (50x70 cm)	7,5 kg	-----	-----	STD	-----	-----	-----	STD
Rooflight Kristall (40x40 cm)	3,5 kg	-----	-----	-----	-----	-----	-----	-----
Rooflight Kitchen area								
Rooflight MIDI-HEKI, (50x70 cm)	7,5 kg	OPT	STD	-----	STD	STD	STD	-----
Rooflight in bathroom (28 x 28 cm)	3 kg	-----	-----	-----	-----	-----	-----	-----
Turbovent (40 x 40 cm)	4 kg	OPT	-----	-----	-----	-----	-----	-----
Rooflight Kristall (40x40 cm)	3,5 kg	STD	-----	-----	-----	-----	-----	-----
Rooflight in the Bathroom								
Rooflight in bathroom (28 x 28 cm)	2 kg	STD	STD	-----	STD	STD	STD	STD(40x40)
Turbovent (28 x 28 cm)	2,5 kg	-----	Opt	-----	Opt	Opt	Opt	Opt(40x40)
Rooflight Vent Kristall (28x28 cm)	2 kg	OPT	-----	-----	-----	-----	-----	-----
Rear Rooflight								
Rooflight HEKI 3, (60x90 cm)	11 kg	-----	-----	-----	-----	-----	-----	-----
Rooflight MIDI-HEKI, (50x70 cm)	7,5 kg	-----	Opt	Opt	Opt	Opt	Opt	Opt
Rooflight white Vent (40 x 40 cm)	3 kg	-----	-----	STD	-----	-----	-----	STD
Rooflight Kristall (40x40 cm)	3,5 kg	-----	STD	-----	STD	STD	STD	-----
Turbovent (40 x 40 cm)	4 kg	-----	Opt	-----	Opt	Opt	Opt	-----
12v - 220v and TV sockets	--	STD	STD	STD	STD	STD	STD	STD
3 point seat belts	--	STD	STD	STD	STD	STD	STD	STD
Cab folding bed		-----	-----	-----	-----	-----	-----	-----
Front Electric drop-down bed		STD	STD	STD	STD	STD	STD	STD
Front manual drop-down bed (A-Class)		-----	-----	-----	-----	-----	-----	-----
Chromed kitchen sink		STD	STD	STD	STD	STD	STD	STD
Rear bed manually adjustable (garage models)		-----	STD	-----	-----	-----	STD	STD
Beds with orthopedic staves (Cab folding/drop-down bed/rear bed)		---/STD/---	STD	STD	STD	STD	STD	STD
Matress cover	2 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt
Carpet living area	7 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt
TV plate	5 kg	STD	STD	STD	STD	STD	STD	STD
Insulating mats for cab	--	STD	STD	STD	STD	STD	STD	STD
Cab pleated mats (A-Class)	7 kg	-----	-----	-----	-----	-----	-----	-----
Pleated mats + windshield roller blind - FIAT cabin	8 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt
Mosquito net for entrance door		STD	STD	STD	STD	STD	STD	STD
Entrance door with window, blinder and integrated dustbin	5 kg	STD	STD	STD	STD	STD	STD	STD
Carbon fibre finishing on dashboard		-----	-----	-----	-----	-----	-----	-----
RCA cable pre-setting for rear view camera		STD	STD	STD	STD	STD	STD	STD
Air conditioning pre-setting on living area		STD	STD	STD	STD	STD	STD	STD
COLD KIT (Outside mats for cabin + dashboard mats)	5 kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt
Insulation entrance step	3 Kg	Opt	Opt	Opt	Opt	Opt	Opt	Opt

Model		A-LOFT 450			A-LOFT 530			I-LOFT 450			I-LOFT 529			I-LOFT 530			I-LOFT 581		
Chassis	Weight OPT	FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light			FIAT Ducato X290 35 / 36,5 Light		
Available engines		130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet			130/150/180 Multijet		
Diesel		EURO 6			EURO 6			EURO 6			EURO 6			EURO 6			EURO 6		
Wheelbase mm		3800			4035			3800			3800			4035			4035		
Gears		6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	
Power HP		130	150	180	130	150	180	130	150	180	130	150	180	130	150	180	130	150	180
Displacement cm3		2300			2300			2300			2300			2300			2300		
Power kW		96	110	130	96	110	130	96	110	130	96	110	130	96	110	130	96	110	130
max. towing capacity kg (braked)		2000			2000			2000			2000			2000			2000		
Maximum permissible mass kg		3500			3500			3500			3500			3500			3500		
Total mass in running order kg		3077			3073			3107			3107			3137			3137		
Max. user payload kg.		423			427			393			393			363			363		
Maximum permissible mass kg		3650			3650			3650			3650			3650			3650		
Total mass in running order kg		3107			3177			3107			3107			3177			3177		
Max. user payload kg.		543			473			543			543			473			473		
Seats/Beds																			
Number of beds		4			4			4			4			4			4		
Approved seats (3500 kg)		4			4			4			4			4			4		
Approved seats (3650 kg)		4			4			4			4			4			4		
5th homologated seat in running order		Opt			Opt (2,3-130cv / 15")			Opt			Opt			Opt			Opt		
Cab																			
Swivel cab seats	--	STD			STD			STD			STD			STD			STD		
Cab seat covers	2 kg	STD			STD			STD			STD			STD			STD		
Manual cab air conditining	18 kg	STD			STD			STD			STD			STD			STD		
Automatic cab air conditioning	18 kg	Opt			Opt			Opt			Opt			Opt			Opt		
Automatic gear box	17 kg	Opt			Opt			Opt			Opt			Opt			Opt		
Alloy wheels (16" only)	10 kg	Opt			Opt			Opt			Opt			Opt			Opt		
Elegance Pack *	--	STD			STD			STD			STD			STD			STD		
Equipment																			
Fresh water tank Lt. (total capacity when stopped)	--	110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.			110 Lit.		
Fresh water tank Lt. (total capacity when on the way) **	--	20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.			20 Lit.		
Waste water tank - Lt.	--	100 Lit.			100 Lit.			100 Lit.			100 Lit.			100 Lit.			100 Lit.		
Winter Pack ***	4 kg	Opt			Opt			Opt			Opt			Opt			Opt		
Three-way fridge L.	--	150 Lit.			150 Lit.			150 Lit.			142 Lit.			150 Lit.			150 Lit.		
Cooker with burners (Nr.)	--	3			3			3			3			3			3		
Oven	14 kg	Opt			Opt			Opt			Opt			Opt			Opt		
Gas boiler with electronic ignition - 10 Lt.		STD			STD			STD			STD			STD			STD		
Heating system / Heater with air ventilation		Webasto AT40			Webasto AT40			Webasto AT40			Webasto AT40			Webasto AT40			Webasto AT40		
Digital control panel Truma CP plus	0,5 kg	-----			-----			-----			-----			-----			-----		
Heating system COMBI Diesel/COMBI EH	1,5 kg	-----			-----			-----			-----			-----			-----		
Sky-Dome on cabin roof	12,5 kg	-----			-----			-----			-----			-----			-----		

*) Electric rear view mirrors with defroster - Cab radio & loudspeakers pre-setting - Radio Aerial - Front bumper in white - Wheel Trim - Cab passenger airbag - ASR - Cab seats with double armrest - Cruise Control

**) Pls. Check 20 lts. filling before driving

***) WINTER PACK : Insulated waste water tank and exhaust valve with antifreezing resistor

Model		A-LOFT 450	A-LOFT 530	I-LOFT 450	I-LOFT 529	I-LOFT 530	I-LOFT 581
Chassis	Weight OPT	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light	FIAT Ducato X290 35 / 36,5 Light
Rooflight living area							
Rooflight white (40 x 40 cm)	3 kg	-----	-----	-----	-----	-----	-----
Turbovent (40 x 40 cm)	4 kg	-----	-----	-----	-----	-----	-----
Rooflight HEKI II, (60x90 cm)	11 kg	-----	-----	-----	-----	-----	-----
Rooflight MIDI-HEKI, (50x70 cm)	7,5 kg	STD	STD	STD	STD	STD	STD
Rooflight Kristall (40x40 cm)	3,5 kg	-----	-----	-----	-----	-----	-----
Rooflight Kitchen area							
Rooflight MIDI-HEKI, (50x70 cm)	7,5 kg	-----	-----	-----	-----	-----	-----
Rooflight in bathroom (28 x 28 cm)	3 kg	-----	-----	-----	-----	-----	-----
Turbovent (40 x 40 cm)	4 kg	STD	STD	STD	STD	STD	STD
Rooflight Kristall (40x40 cm)	3,5 kg	-----	-----	-----	-----	-----	-----
Rooflight in the Bathroom							
Rooflight in bathroom (28 x 28 cm)	2 kg	STD	STD	-----	STD	-----	STD
Turbovent (28 x 28 cm)	2,5 kg	Opt	Opt	-----	Opt	-----	Opt
Rooflight Vent Kristall (28x28 cm)	2 kg	Opt	Opt	-----	Opt	-----	Opt
Rear Rooflight							
Rooflight HEKI 3, (60x90 cm)	11 kg	-----	-----	-----	-----	-----	-----
Rooflight MIDI-HEKI, (50x70 cm)	7,5 kg	Opt	Opt	Opt	Opt	Opt	Opt
Rooflight white Vent (40 x 40 cm)	3 kg	STD	STD	STD	STD	STD	STD
Rooflight Kristall (40x40 cm)	3,5 kg	-----	-----	-----	-----	-----	-----
Turbovent (40 x 40 cm)	4 kg	Opt	Opt	Opt	Opt	Opt	Opt
12v - 220v and TV sockets	--	STD	STD	STD	STD	STD	STD
3 point seat belts	--	STD	STD	STD	STD	STD	STD
Cab folding bed		STD	STD	-----	-----	-----	-----
Front Electric drop-down bed		-----	-----	-----	-----	-----	-----
Front manual drop-down bed (A-Class)		-----	-----	STD	STD	STD	STD
Chromed kitchen sink		STD	STD	STD	STD	STD	STD
Rear bed manually adjustable (garage models)		STD	-----	STD	-----	-----	STD
Beds with orthopedic staves (Cab folding/drop-down bed/rear bed)		STD/---/STD	STD/---/STD	---STD/STD	---STD/STD	---STD/STD	---STD/STD
Matress cover	2 kg	Opt	Opt	Opt	Opt	Opt	Opt
Carpet living area	7 kg	Opt	Opt	Opt	Opt	Opt	Opt
TV plate	5 kg	STD	STD	STD	STD	STD	STD
Insulating mats for cab	--	STD	STD	STD	STD	STD	STD
Cab pleated mats (A-Class)	7 kg	-----	-----	STD	STD	STD	STD
Pleated mats + windshield roller blind - FIAT cabin	8 kg	Opt	Opt	-----	-----	-----	-----
Mosquito net for entrance door		STD	STD	STD	STD	STD	STD
Entrance door with window, blinder and integrated dustbin	5 kg	STD	STD	STD	STD	STD	STD
Carbon fibre finishing on dashboard		-----	-----	-----	-----	-----	-----
RCA cable pre-setting for rear view camera		STD	STD	STD	STD	STD	STD
Air conditioning pre-setting on living area		STD	STD	STD	STD	STD	STD
COLD KIT (Outside mats for cabin + dashboard mats)	5 kg	Opt	Opt	Opt	Opt	Opt	Opt
Insulation entrance step	3 Kg	Opt	Opt	Opt	Opt	Opt	Opt



Die in diesem Katalog aufgeführten Angaben zu Massen beziehen sich auf den Inhalt der Europäischen Richtlinie 2007/46/EG.

Masse des Fahrzeugs in fahrbereitem Zustand

Diese Angabe umfasst das Leergewicht des Fahrzeugs in der Basisausstattung, den Fahrer (75 kg), 90% des Treibstoffs (60-Liter-Tank), das Frischwasser (Tank für die Fahrt mit 20 Litern befüllt) und eine Gasflasche für Wohnzwecke (20 kg). Die Masse des Fahrzeugs in fahrbereitem Zustand und daher auch die Nutzlast bzw. die Anzahl der Sitzplätze bei der Fahrt können je nach vorhandener Ausstattung variieren.

NUTZLAST

Die Nutzlast ist die Differenz zwischen der technisch zulässigen Gesamtmasse und der Masse in fahrbereitem Zustand. Sie umfasst Elemente, die dem Wohnzweck dienen; dazu die beförderten Passagiere entsprechend den Festlegungen des Herstellers (ohne den Fahrer) sowie die persönlichen Gegenstände. Die Berechnung der Nutzlast basiert auf den folgenden Parametern: 75 kg pro Passagier (ohne den Fahrer), 10 kg Gepäck für jeden Passagier und den Fahrer, 10 kg pro Längengrad des Fahrzeugs sowie die verbleibende Nutzlast, die zur Installation von Zubehör oder für mehr Gepäck genutzt werden kann. Alle Massen und Lasten des unbeladenen Fahrzeugs besitzen gemäß Richtlinie 2007/46/EG eine Toleranz von +/- 5%. Durch die Zusatzausstattung erhöht sich die Masse in fahrbereitem Zustand und die Nutzlast wird verringert. Das Gewicht der nicht serienmäßigen Zubehörteile ist nicht in den Werten für die Masse des Fahrzeugs in fahrbereitem Zustand enthalten, die in diesem Katalog angegeben sind. Zubehör und zusätzliche Geräte verringern die Nutzlast um den Wert ihres Gewichts; der Gewichtsbeitrag der einzelnen Zubehörteile wird in der zugehörigen Spalte der Datenblätter aufgeführt und kann bei unseren Vertragshändlern angefragt werden. Bei der Installation einiger Zubehörteile (zum Beispiel zusätzliche Trägerelemente wie Anhängerkupplung oder Motorradträger) beeinflusst die Masse dieser Elemente die Nutzlast, die eventuell reduziert wird; dazu kann es auch zu einer Verringerung der zugelassenen Sitzplätze kommen. Stellen Sie sich sicher, dass, während der Beladungsphase des Fahrzeugs, die maximale Achslast und die technisch zulässige Masse nicht überschritten werden. Die im jeweiligen Land geltenden Vorschriften und Anforderungen können zu Veränderungen der Werte in dieser Tabelle führen. Die Zahl der zugelassenen Sitzplätze kann je nach den Straßenverkehrsvorschriften der einzelnen Staaten variieren.

ANMERKUNGEN

Die SEA S.P.A. - McLouis behält sich das Recht vor, die Eigenschaften und die Einrichtung der Modelle ohne Vorankündigung zu modifizieren; alle Daten in dieser Broschüre sind daher nicht als bindend anzusehende Richtwerte. Trotz sorgfältiger inhaltlicher Kontrolle können Druck- oder Übersetzungsfehler nicht ausgeschlossen werden. Dieser Katalog stellt kein Vertragsdokument dar. Jede, auch teilweise Vervielfältigung des Textes bzw. des Inhalts dieses Dokuments ist untersagt. Die angegebenen Gewichte sind Richtwerte. Diese sind mit Toleranzen von +/- 5% behaftet. Grundsätzlich erhöhen Sonderausstattungen und Zubehörteile das Leergewicht des Fahrzeugs und führen zu einer Verringerung der Nutzlast. Wir lehnen jegliche Verantwortung ab, falls strukturelle Veränderungen am Fahrzeug durchgeführt wurden; Montage- und Demontearbeiten sowie Eingriffe aller Art, die von nicht autorisierten Werkstätten durchgeführt werden, können Ihre Sicherheit gefährden und führen zur Aufhebung der Garantieklauseln. Für weitere Informationen zur Installation und zu technischen Einzelheiten wenden Sie sich bitte an unsere Vertragshändler.



The masses indicated in this catalogue refer to the provisions of European Directive 2007/46/EC.

MASS IN RUNNING ORDER

It includes the weight of the empty BASE vehicle, of the driver (75 kg), 90% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and a gas tank for living purposes (20 kg). The mass in running order, and consequently the payload and/or certified seats may vary depending on the accessories installed.

PAYLOAD

This consists of the difference between the maximum technically permissible laden mass and the mass in running order. It includes elements for living purposes, the transported passengers defined by the manufacturer (driver excluded), and the personal effects. The payload calculation is based on the following parameters: 75 kg for each passenger (driver excluded), 10 kg of baggage for each passenger and for the driver, 10 kg for each metre of length of the vehicle, plus the remaining payload, which can be used for the installation of accessories or for additional baggage. All masses and loads of the empty vehicle have a tolerance of +/- 5%, in compliance with Directive 2007/46/EC. Any optional equipment increases the mass in running order and decreases the payload. The weight of non-standard accessories is not included in the mass in running order indicated in this catalogue. Additional accessories and devices reduce the payload by a quantity equal to their weight; the incidence of the weight of the individual accessories is shown in the special column in the technical data sheets or can be requested at our dealers. In case certain accessories are installed (for example, additional elements such as coupling device or motorbike rack), the mass of these accessories will affect the payload, possibly reducing it along with the number of certified seats. Please make sure that the maximum loads on the axles and the maximum technically permissible load mass are not exceeded during the complete loading phase of the vehicle. The regulations and requirements of each country may entail changes in the characteristics of this table. The number of certified seats may vary depending on the traffic regulations in force in each country.

NOTES

SEA S.P.A. – McLouis reserves itself the right to change the characteristics and the furnishings of all its models with no advance notice required; all data contained in this leaflet must therefore be considered approximate and non-binding. Despite thorough checks of the contents, we cannot exclude possible printing and/or translating errors. This catalogue does not constitute contractual documentation. Any reproduction, including in part, of the text or of the content of this document is prohibited. The indicated weights are exclusively approximated. Tolerances of +/- 5% are allowed. Generally speaking, special equipment and options increase the no-load weight and entail a reduction in the payload. We hereby decline any and all responsibility in case structural changes are made to the vehicle; any assembly, disassembly or changes carried out by unauthorised workshops may jeopardise your safety and cause the warranty clauses to be forfeited. For additional information on installation and technical details, please contact one of our dealers.



elnagh

SEA S.p.A. - ELNAGH

Via Val d' Aosta, 4 - I - 53036 Poggibonsi (SI)
Tel : +39 057799511 · Fax . +39 0577 995219
www.elnagh.it