





### INDEX

WHO IS THE VAN	P.3
BRAND AND VALUES	P.4
ELNAGH 2021 RANGE	P.8
E-VAN	P.10
E-VAN TREND	P.14
E-VAN PREMIUM	P.18
INSULATION	P.22
VAN IN THE WINTER	P. 24
FOCUS ON STOWAGE	P. 20
FOCUS ON FURNITURE	P.28
FOCUS ON THE TOILET	P.30
COMFORT AND FUNCTIONALITY IN THE KITCHEN	P.32
COMFORT AND FUNCTIONALITY IN THE BEDS	P.33
COMFORT IN THE LIVING AREA	P.34
ENVIRONMENT AND UPHOLSTERY	P.35
FOCUS ON RAISING ROOF	P.36
FOCUS ON PANORAMIC ROOF	P.38
TESTS AND CHECKS	P.39
TECHNICAL DATA	P.40

### WHO IS ELNAGH VAN

ELNAGH, SINCE 1950 ON THE ROADS OF THE WORLD

#### **ELNAGH IS:**

- AN INTEGRAL PART OF THE HISTORY OF THE ENTIRE VEHICLE INDUSTRY WITH 70 YEARS OF ACTIVITY BEHIND IT.
- SOLIDITY AND STRENGTH
- A BRAND THAT OFFERS REAL AND PRACTICAL SOLUTIONS.
- A BRAND THAT NEVER GOES OUT OF STYLE.



# **SOLIDITY, RESISTANCE,** REAL AND PRACTICAL SOLUTIONS



### **SPECIALISATION**

THE GUARANTEE OF A CONSOLIDATED PRODUCTION TOGETHER WITH THE KNOWLEDGE, EXPERTISE AND EXPERIENCE OF THE ELNAGH PRODUCTION TEAM WILL PROVIDE YOU WITH A SOLID AND DURABLE VEHICLE.

Elnagh vans are produced in the Paglieta plant (Abruzzo), an industrial district of over 28,000 m2 that produces vans for the Trigano group for the whole of Europe.



#### INNOVATION ELNAGH OFFERS FUNCTIONAL AND ELEGANT SOLU-TIONS WITH THE ATTENTION TO DETAIL THAT ONLY A SOLID EXPERIENCE CAN OFFER.

The Elnagh van family embodies what has always distinguished the brand: technique, inventiveness and determination, offering functional and elegant solutions.



#### PROFESSIONALISM

CHOICE OF THE MOST SUITABLE VEHICLE FOR YOU OURS. AND RESPOND COMPETENTLY TO YOUR REQUESTS.

The qualified points of sale that distribute the Elnagh brand today give the brand real added value. An organised, targeted network supported by continuous training on technical topics and workshop interventions.

SAFETY YOUR ELNAGH DEALER CAN ADVISE YOU ON THE UNLIMITED TRANQUILLITY, YOUR TRANQUILLITY IS

Elnagh offers 5-year infiltration warranty.



# **E-VAN 2021**

### E-VAN THE BEGINNING OF THE ADVENTURE

Designed for those in search of unique experiences. If you are looking for your first van and you want a solid vehicle, with a simple, practical and essential style but with everything you need to be for your adventures, E-Van is for you. Two are the choices available: E-Van 2 of 5.99 m with transversal bed at the back, and E-Van 5 of the same length, provides two bunk double beds placed at the back.



### **E-VAN TREND** ADVENTURE WITH MORE COMFORT

roof. the back.



Thanks to the many interior solutions, E-Van Trend models are the best solution for every kind of travel. Everything is designed to offer new spaces, such as the practical raising


There are seven internal solutions available from 5.41 m to 6.63 m and four types of bed between classic double and double bunk beds, twin beds and electric elevating bed at

### E-VAN PREMIUM ADVENTURE WITH MORE COMFORT AND EQUIPMENT


Designed for those who don't accept any compromise. E-Van Premium models combine design with functionality. High-quality, durable materials - such as acrylic stone - blend in with everyday requirements: the folding table, which can be easily extended or closed as required.

There are seven top of range solutions available from 5.41 m to 6.36 m and four types of bed between classic double and double bunk beds, twin beds and electric elevating bed at the back.











### **ALL-INCLUSIVE**

MANUAL CLIMATE CONTROL SYSTEM
CRUISE CONTROL
DRIVER AND PASSENGER AIRBAGS
ELECTRIC MIRRORS
PLEATED CAB BLIND
CABIN SWIVEL SEATS WITH UPHOLSTERY COORDINATED COVERS
SIDE DOOR WITH FLYSCREEN
ELECTRIC STEP
DAB+



E-VAN 2



E-VAN 5



### CONVENIENT FUNCTIONALITY

#### TO MOVE FREELY

Ergonomic **TABLE** for easy access and exit for the driver. Removable, it can also be used outdoors.



#### THE IMPORTANCE OF SHAPE

**DINETTE** with swivel seats that integrate into the living room, seats with ergonomic backrest for greater comfort.



#### **COMFORT IN CONFINED SPACES**

Linear **KITCHEN** with integrated sink like at home, with large drawers under the sink and fully extractable baskets. 70 l compressor **REFRIGERATOR** with double opening, it can also be opened from the outside.

### THE COMFORT OF **SLEEPING AREA**

#### SWEET REST

**BEDS** with slats and "Sleep Comfort" mattresses in breathable fabric. Large beds for comfortable rest, equipped with slats.

Ergonomic anti-mite **MATTRESSES** in breathable fabric

#### **INCREASED STOWAGE SPACE**

Elevating and removable **BASES** Large stowage wall units and **WARDROBES** to store clothes and accessories.







### WELL-BEING AND **RELAX**

#### PRIVACY, COMFORT AND LIGHT

Thanks to the **SHOWER CURTAIN**, the mirrors, washbasin and toilet are protected from shower splashes. **LOWERED SHOWER TRAY:** the water does not flow into the toilet area.



**WINDOW** in the bathroom to always have a bright and airy area.




**EVERYTHING IN ITS PLACE STORAGE COMPARTMENT** with shelf inside the shower.





Electric step



### **ALL-INCLUSIVE**

• ESC MANUAL CLIMATE CONTROL SYSTEM CRUISE CONTROL DRIVER AND PASSENGER AIRBAGS FOG LIGHTS DASHBOARD WITH CHROME FINISH ELECTRIC MIRRORS PLEATED CAB BLIND BLACK FRONT GRILLE, HEADLIGHT FRAME AND SKID PLATE • DAB+ MATCHING BUMPER LEATHER COVERED STEERING WHEEL AND GEAR LEVER KNOB CAB SWIVEL SEATS WITH UPHOLSTERY COORDINATED COVERS FRONT PORTLIGHT 700X500 SIDE DOOR WITH FLYSCREEN ELECTRIC STEP REAR VIEW CAMERA RADIO 2 DIN BLUETOOTH WITH STEERING WHEEL RADIO CONTROLS





THE IMPORTANCE OF SHAPE **DINETTE** with swivel seats that integrate into the living room, seats with ergonomic backrest for greater comfort

**COMFORT IN CONFINED SPACES** Linear **KITCHEN** with integrated sink like at home, with large drawers under the sink and fully extractable baskets. 70 l compressor **REFRIGERATOR** with double opening, it can also be opened from the outside.

**INCREASED QUALITY OF MATERIALS KITCHEN TOP** in laminate, waterproof, scratch-resistant and easy to clean

### CONVENIENT FUNCTIONALITY

#### TO MOVE FREELY

Ergonomic **TABLE** for easy access and exit for the driver. Removable, it can also be used outdoors.



**INCREASED SPACE** Stowage floor **HATCH** under the dinette Open space CAB to increase movement space inside the living area with comfortable storage pockets.

### THE COMFORT OF SLEEPING AREA

#### SWEET REST

BEDS with slats and "Sleep Comfort" mattresses in breathable fabric.

Large beds for comfortable rest, equipped with slats. Ergonomic anti-mite **MATTRESSES** in breathable fabric

#### INCREASED STOWAGE SPACE

Elevating **BASES** (E-Van DUO) and removable (E-Van 5) Large stowage wall units and **WARDROBES** to store clothes and accessories. Removable double flooring, with adjustable volume

(E-Van DUO)

#### SOUNDPROOFING

Soft Touch **PANELS** on the walls, pleasant to the touch for a soft and welcoming effect with high insulation coefficient



### WELL-BEING AND **RELAX**

#### PRIVACY. COMFORT AND LIGHT

Thanks to the **SHOWER CURTAIN**, the mirrors, washbasin and toilet are protected from shower splashes. **LOWERED SHOWER TRAY**: the water does not flow into the toilet area.




**WINDOW** in the bathroom to always have a bright and airy area.



**EVERYTHING IN ITS PLACE STORAGE COMPARTMENT** with shelf inside the shower.







**TO MOVE FREELY** Extractable folding top methacrylate **TABLE** that can be easily extended or closed as required.

**DINETTE** with swivel seats that integrate into the living room, seats with ergonomic backrest for greater comfort



### CONVENIENT FUNCTIONALITY

#### THE IMPORTANCE OF SHAPE

#### COMFORT IN CONFINED SPACES

Linear **KITCHEN** with integrated steel sink with cover that can be used as a cutting board or shelf.

Large drawers under the sink and fully extractable baskets with practicable 70 l compressor **REFRIGERATOR** with double opening, it can also be opened from the outside.

#### INCREASED QUALITY OF MATERIALS COMBINED WITH THE DESIGN OF A MODERN KITCHEN

**KITCHEN TOP** in single unit acrylic stone, soft to the touch and resistant to wear.



### THE COMFORT OF SLEEPING AREA

#### SWEET REST

**BEDS** with slats and "Sleep Comfort" mattresses in breathable fabric


Large beds for comfortable rest, equipped with slats. Ergonomic anti-mite **MATTRESSES** in breathable fabric.

#### INCREASED STOWAGE SPACE

Elevating **BASES** (E-Van DUO) and removable (E-Van 5) Large stowage wall units and **WARDROBES** to store clothes and accessories. Removable, adjustable-volume double flooring (E-Van DUO)

#### SOUNDPROOFING

Soft Touch **PANELS** on the walls, pleasant to the touch for a soft and welcoming effect with high insulation coefficient



### WELL-BEING AND **RELAX**

#### PRIVACY. COMFORT AND LIGHT

Thanks to the **SHOWER CURTAIN**, the mirrors, washbasin and toilet are protected from shower splashes. **LOWERED SHOWER TRAY**: the water does not flow into the toilet area



**WINDOW** in the bathroom to always have a bright and airy area.

### **EVERYTHING IN ITS PLACE**

**STORAGE COMPARTMENT** with shelf inside the shower.



**INCREASED QUALITY OF MATERIALS** Fixed **WASHBASIN** above the toilet in acrylic stone, soft to the touch and resistant to use.

SE-UEN





ditions:

# **MORE INSULATION** MORE PROTECTION LESS NOISE

### **BODY PROTECTION SYSTEM**

THE EXCLUSIVE TECHNOLOGY FOR INSULATING THE INTERIOR OF THE VAN FROM OUTSIDE TEMPERATURES AND NOISES ENSURES BETTER HEAT AND ACOUSTIC INSULATION ALSO THANKS TO THE ABSENCE OF THERMAL BRIDGES WITH THE OUTSIDE.



One round trip to the moon and vour warranty will still cover you! Five-year infiltration warrant



# GO ON HOLIDAY WITHOUT A THOUGHT, WE'LL MAKE YOU FEEL GOOD!

THE ELNAGH VANS ARE WELL ISOLATED AND QUIET VEHICLES THANKS TO THE EXCLUSIVE BPS TECHNOLOGY WHICH PROVIDES INSULATION AND INTERNAL PROTECTION FROM BOTH EXTERNAL TEMPERATURES AND NOISE

#### FIVE-YEAR ABSOLUTE PROTECTION GUARANTEED AGAINST INFILTRATION.

TESTED SOUNDPROOFING: Noise tests relating to external agents (test carried out with calibrated sound meter and certified by the SIT centre) have also demonstrated that the noise perceived inside the van while raining is lower by 37% in the dinette area and by 30% in the rear area.

TESTS IN CLIMATE CHAMBER in accordance with the EN 1646-1 standard, according to which a vehicle brought to -15°C must reach +20°C in 4 hours, have demonstrated that BPS insulation:

• reduces the time to reach pleasant temperatures inside the vehicle by 50%, even when starting from extremely cold con

• increases the uniformity of temperature inside the various areas of the van by more than 65%;


• maintains temperatures with greater consistency and longer for more comfortable stay

#### E-VAN TREND AND E-VAN PREMIUM RANGES

Increased insulation, with higher insulating performance materials. The coating of the roof, walls, crossbars and uprights is made entirely of polyester fibre covered with an aluminium film, made in two thicknesses (20 mm and 10 mm) to ensure the absence of thermal bridges.









#### **E-VAN INSULATION**

The walls are insulated by the **polyurethane foam**, a material capable of giving one of the better ratios between thickness, cost and performance. The floor consists of a sandwich panel while the roof is insulated with polyester fibre covered by an aluminium film



# THE WINTER COLD IS NO LONGER A QUESTION **ON-BOARD YOUR ELNAGH VAN!**











Enjoy your adventures in the most extreme conditions! Choice of gas or oil heating, combined or electric, 4 or 6 kW. We can state it with certainty, because we have tested our vans in a climate chamber according to EN 1646-1 standard

This provides for the achievement of 20°C inside the vehicle within 4 hours after switching on the heating system with an outside temperature of -15°C.

## WANT EVEN MORE? YOU CAN CHOOSE BETWEEN **TWO OPTIONAL FITTING OPTIONS THAT IMPROVE COMFORT ON BOARD IN HARSHER CONDITIONS.**

## WINTER PACK:

GREY WATER TANK INSULATED THROUGH • A 15 MM LAYER OF POLYURETHANE. ELECTRICAL PROBE WITH THERMOSTAT POSITIONED CLOSE TO DRAIN VALVE. INSULATION OF EXTERNAL WATER PIPES. • INSULATION OF EXTERNAL HEATING PIPES.

## **ARCTIC PACK:**

- **BOOSTED HEATER. 6 KW.**
- THERMAL BLIND TO PROTECT SIDE WINDOWS.
- THERMAL BLIND TO PROTECT DASHBOARD.
- INSULATED REAR CURTAIN.





®E-UEN

## **STOWAGE SMART SOLUTIONS. VERSATILE, MODULAR SPACES, JUST THE WAY YOU WANT THEM.**

ON BOARD ELNAGH VANS THE INTERIOR SPACE IS OPTIMISED TO OFFER MAXIMUM FUNCTIONALITY: THE STORAGE COMPARTMENTS ARE DESIGNED TO ADAPT TO YOUR TRAVEL AND HOLIDAY NEEDS.

THE BED BASES CAN BE ELEVATED AND/OR REMOVED -PARTLY OR COMPLETELY - TO HANDLE THE LOAD VOLUMES FLEXIBLY, ACCORDING TO YOUR NEEDS.











safel

To exploit the full potential of the garage, the antislip aluminium sheet metal covering and the access ramp are available as options.







### **E-VAN DUO XL** THE MODULAR VOLUME GARAGE WITH AN EXTRA LOAD

With the rear bed that moves electronically supported by straps and stops where you want it to, E-Van DUO XL offers you a **rear stowage** with variable volume, between 1,500 and 2,400 litres. That way, even at night, your bicycles and your sports equipment will stay

The garage is equipped with an electrical socket and a water outlet with a removable jet.





## **E-VAN DUO** -van duo you just have to choose the

MOST SUITABLE CONFIGURATION EACH TIME AC-CORDING TO THE SPACE YOU NEED.

- **ELEVATING BED BASES**
- THREE WARDROBES THAT CAN BE REMOVED SEPARATELY
- REMOVABLE, ADJUSTABLE-VOLUME DOUBLE FLOORING
- EXTRA LOAD, WITHOUT TAKING UP SPACE

# HARMONIOUS ENVIRONMENTS WITH DIFFERENT STYLES

### WHATEVER YOUR NEEDS, ELNAGH HAS THE RIGHT SOLUTION FOR YOU. INTELLIGENT LIVING SOLUTIONS, DESIGNED BY THOSE WHO ONLY BUILD VANS. USABILITY AND FREEDOM OF MOVEMENT GUARANTEED, THANKS TO OPTIMAL USE OF AVAILABLE SPACE. YOU CAN CHOOSE BETWEEN **3 TYPES OF FITTINGS:**

#### E-VAN CONCRETENESS AND SPACE

Cosy, comfortable and airy environment. Simple and linear style, it does not give up to the practicality and functionality of the furniture, resistant and water-repellent, in melamine multilayer with plastic finish. Stowage ensured by the large wall cabinets and the comfortable storage compartment above the cab.

### **E-VAN TREND** QUALITY AND COMFORT, FREEDOM OF MOVEMENT, MORE STOWAGE

More comfortable, functional and durable environment. The most **refined** style in the choice of materials for furniture in high-pressure laminate, ultra-resistant and easy to clean. More space to move around with the ergonomically rounded profiles and the **open space cab**.

Even more stowage with the hatch on the floor under the dinette.








### E-VAN PREMIUM BETTER BALANCE BETWEEN DESIGN, AESTHETICS AND ERGONOMICS

#### Environment designed for **top comfort.**

Style with attractive design. Furniture with contrasting colours and built with even more resistant and durable materials, glossy laminates for the wall units and acrylic stone for the kitchen worktop and the folding top table.

Move around even more easily thanks to the rounded profiles with LED light insertions and open space cab.





# **TOILETTE** PRIVACY, COMFORT AND LIGHT

#### E-VAN WHATEVER YOU NEED FOR YOUR WELL-BEING

The bathroom consists of two separate rooms, washbasin and toilet on one side, shower on the other, and is equipped with a **window** for greater brightness.

A practical, removable **curtain with magnets** separates the shower: after using it you can hang it out to dry. The shower has a **lowered tray** - so the water does not flow into the toilet area and the rest of the bathroom stays dry - and is equipped with shower rail, a separate mixer and a convenient storage compartment for towels and detergents.





### E-VAN TREND THE PLEASURE OF TAKING CARE OF YOURSELF

The compact bathroom offers you whatever you need for your well-being. Equipped with a window, it has a mirror and wall units to contain everything necessary for your toiletry.

The washbasin is either fixed or concealed in the wall, depending on the models.

A nice **shower** is what you need to start your day with energy or to end it in relaxation: the E-Van trend range offers it in a separate version, with shower rail and separate mixer, or in an integrated version with pull-out tap.

Fixed washbasin (E-VAN 2, E-VAN 5, E-VAN DUO, E-VAN DUO XL) Flap washbasin (E-VAN K2, E-VAN VAN 4, E-VAN VAN 6)



### E-VAN PREMIUM WELL-BEING. COMFORT AND FUNCTIONALITY

Equipped with a window, the E-Van Premium toilet offers everything you need to take care of yourself, without neglecting style: an example of this is the acrylic stone washbasin\* combined with the kitchen top and the folding top table. There is no shortage of stowage space such as wall cabinets and storage compartments, so you have everything at hand. The models with fixed washbasin have a shower separated by rigid folding doors, equipped with a shower rail with separate mixer and storage compartment with shelf: it's practically like being at home. The tray is lowered so that the water does not flow out of the shower space.





\* The wall unit is not available in the E-Van Duo XL Premium model \* The acrylic stone washbasin is available only in the models with fixed sink.







E-VAN 2 ←l. 5990 mm →





**E-VAN DUO** ←l. 6360 mm →



**E-VAN DUO XL** ←l. 6360 mm →

### **MORE FUNCTIONALITY**

- "SEPARATE" TOILET AND SHOWER ROOMS.
- SEPARATION THROUGH:

E-VAN AND E-VAN TREND: CURTAIN WITH REMOVABLE MAG-NETS, YOU CAN HANG IT TO DRY AND STORE IT WHEN YOU DON'T NEED IT.

**E-VAN: RIGID FOLDING DOORS** 

LARGER SHOWER TRAY + 3 CM

### **AIR AND LIGHT**

• WITH A WINDOW

### **MORE COMFORT**

- LEGROOM.
- GUARANTEED USABILITY
- STORAGE COMPARTMENT WITH SHELF INSIDE THE SHOWER.
- COMPLETE WITH TOOTHBRUSH HOLDER IN THE PREMIUM VERSION
- FOLDING SEAT IN THE SHOWER (opt. E Van 2 | E Van 5 | E Van DUO | E-Van Duo XL)

# OPTIMISED **KITCHEN SPACE**

THE SPACES WILL NEVER HAVE BEEN SO TIDY THANKS TO 2 LARGE DRAWERS UNDER THE SINK AND A CONVENIENT PULL-OUT BASKET WITH EFFICIENT AUTOMATIC RETRACTION SYSTEM.

#### E-VAN I IVING THE KITCHEN

E-VAN TREND I IKF AT HOMF


The linear kitchen unit of E-Van is equipped with a two-bur **ner hob** and **sink**, to easily prepare a quick snack or a delicious lunch.

The 70 l compressor **refrigerator**, located under the kitchen, on the entrance side, has a double hinge: it can be opened both from the inside and the outside of the vehicle, so that you can enjoy your holiday en plein air.

Everything is tidy with drawers and wall unit to store dishes, tableware and shopping items for an organised, practical and functional kitchen.



#### The linear kitchen, like your home's one, includes a two **burner hob** and a **sink**: an extremely functional solution to prepare delicious lunches and dinners in full comfort. It is equipped with an extendible worktop.



### **E-VAN PREMIUM EVEN TASTE WANTS ITS SHARE**

Cooking in an E-Van Premium van is really a pleasure. The kitchen, equipped with two burner hob and sink, is characterised by the exclusive acrylic stone tops: scratch and impact resistant, antibacterial and easy to clean.

The sink is equipped with a **cover** that can be used as a cutting board and shelf.

You can always have fresh ingredients for your recipes thanks to the **refrigerator**, compressor or three-way type, depending on the models.

All your plates, glasses and accessories can be arranged in the wall units and drawers that are fully extractable, with soft-close closure.

The back of the wall unit and the base of the kitchen unit have a protective methacrylate housing. Nice to look at and especially useful because it protects the parts most exposed to water and sun from wear, especially when the door is open. The wall units and kitchen top are equipped with LED light strips that illuminate the dinette area and the open baskets. The outside of the kitchen also has an LED strip: indispensable when dining outside.







E-VAN

### TIDYING UP WILL NEVER HAVE BEEN SO SIMPLE, LARGE STORAGE WALL UNITS OVER THE REAR BED AND WARDROBES WITH MAXIMISED INTERIOR DIMENSIONS.

# **RESTFUL SLEEP**

The rear beds of the E-Van will give you a comfortable and regenerating rest, ideal after an intense day of travel, thanks to the comfortable ergonomic anti-mite mattresses and wooden slatted bases.

The room is bright: in addition to the rear windows, the light

### **E-VAN TREND** COMFORT TO LOVE

The sleeping area is designed to provide you with a comfortable rest thanks to the large beds, breathable fabric mattresses and wooden slatted bases. The interior walls are in **soft-touch** to protect you from outside noise while you sleep and to give you an even softer and more welcoming effect. You can store clothes and accessories in wall units or wardrobes

To enjoy reading without disturbing your travel companions, you can turn on the LED spot lights underneath the wall units






### **E-VAN PREMIUM** STYLE IN SLEEP COMFORT

Large beds, breathable fabric mattresses and wooden **slatted bases:** this is Elnagh's choice to ensure top comfort while you sleep.

The sleeping area is particularly cosy and comfortable thanks to the **soft-touch wall** coating that protects against external noise and the **portlight** and rear **windows** that provide light and air exchange.

In addition to the **side wall units**, the Prestige range offers an **additional wall unit** in the rear wall of the vehicle<sup>\*</sup>: **extra** storage space for linen, clothes and accessories.

The LED spot lights, under the wall units, are ideal for evening reading without disturbing your fellow travellers.





# THE LIVING AREA YOU WANT!

E-VAN COMFORT ON THE MOVE

### **E-VAN TREND** DESIGN AND COMFORT



make optimal use of space.

The table is equipped with a standard **pull-out extension** for an additional work surface, only when needed. Its ergonomic shape is designed to facilitate exit and access to the The **dinette** is designed to give you moments of rest and relaxadriver's seat. Very versatile and functional, it can also be in the mildest season.

Above the driver's cab, the useful storage compartment.





The environment is designed to move around easily and The cab outline creates an "open" environment and gives the living area more space to move freely in the dinette area. Above the cab, comfortable storage compartments and wall units in line.

tion: the exceptionally comfortable ergonomic seats are ideal used outdoors to offer you the pleasure of an outdoor lunch for enjoying a tasty dinner. The table, with its ergonomic shape to facilitate access and exit from the driver's seat, is equipped with a pull-out extension as standard. You can use it when you need more work area and close it when you no longer need it. The table is removable and can also be used outdoors: perfect for an outdoor snack on a beautiful spring day.

Underneath the dinette, the floor hatch gives you extra stowage space.

The LED interior lighting is available as linear light underneath the wall units and touch on the roof, for a pleasant environment to see and live in.

### **E-VAN PREMIUM** EVEN TASTE WANTS ITS SHARE



#### Design, aesthetics and ergonomics.

Getting around in an Elnagh Premium van is extremely easy: kitchen profiles, wardrobes and wall units are rounded off to accompany the passage, without annoying sharp edges. The cab outline creates an **open space** environment, larger, spacious and welcoming.

The **folding top table**, characteristic of the range, can be opened in a modular way, depending on the work surface you need. When it is closed, it takes up very little space. Sitting at the dinette, or travelling, you'll have space and comfort for your legs.

An idea for a sunny day? With a few simple moves you can disassemble the table and use it outdoors.

Under the dinette, a comfortable **floor hatch**: an additional stowage compartment for your belongings.













### **E-VAN UPHOLSTERY**





**DUCATO (STD)** IMITATION LEATHER AND FABRIC

## E-VAN TREND AND E-VAN PREMIUM UPHOLSTERY



MARTYN (OPT) IMITATION LEATHER AND FABRIC \* Optional bed in dinette not available



EXCITE (OPT) IMITATION LEATHER AND ELISE (STD) FABRIC FABRIC



# **RAISING RETRACTABLE ROOF**



## MORE ROOM TO SLEEP, MORE ROOM TO STOW.

- 1. 2 EXTRA BEDS.
- 2. POSSIBILITY TO USE THE BACK OF THE VAN ONLY AS STOWAGE COMPARTMENT


### **SAFER ON THE ROAD**


- 1. EXTERNAL ROOF SURFACE AVAILABLE FOR THE INSTALLATION OF SOLAR PANELS.
- 2. RANGE
- 3. AIR RECIRCULATION THANKS TO OPENABLE WINDOWS.
- 4. OUTSIDE THE SHEET METAL OF THE VAN.
- 5. COOLER IN SUMMER
- 6. LESS CONSUMPTION














### FOR THE WHOLE RANGE, **ONE ROOF FOR EVERY LENGTH!**

### **DATA SHEET**

#### DIMENSIONS:

**Roof height:** approx. +18 cm. Weight: about 120 kg. Interior height of the vehicle when the roof is raised, approx. 175-227 cm VENTILATION:

2 side windows that can be opened and closed from the inside with flyscreen and curtain fabric, transparent plastic front window

#### **BED DIMENSIONS**

180(200)x120 cm

AVAILABLE FOR TREND AND PREMIUM RANGES

# **PANORAMIC ROOF**

## YOUR SKY VIEW LIVING AREA.

THE PANORAMIC ROOF IS THE IDEAL SOLUTION FOR THOSE WHO WANT AN EVEN BRIGHTER, COMFORTABLE AND PLEASANT LIVING AREA.



## TESTED IN CLIMATE CHAMBER

**TEST IN CLIMATE CHAMBER** from -15°C to 40°C.

HEAT RADIATION TEST on the panoramic roof surface at 65°C; 75°C; 80°C; 85°C.

#### LOW TEMPERATURE TEST

(Freezing test -15°C) to check for possible ice formation in the perimeter of the glass and any damage or malfunction.

VIBRATION TEST with simulation of 820 km on special route (cobblestone).

INFILTRATION TEST carried out during low temperature and vibration tests.

**VISUAL CHECK** to identify any damage or deformation in the panoramic roof surfaces.





## **RESISTANT, SOLID, DURABLE**

IT IS FORMED BY AN EXTERNAL FRAME IN BLACK METHACRYLATE AND INTERNAL GLAZING IN LAMI-NATED GLASS WITH SUN-PROOF SCREEN PRINTING PERIMETER.



Test on operation of the gas pipes.



Check of operation and correct installation of the electrical systems.



Gas system inspection by certified staff according to the German DVGW protocol.

100 statistical checks on a percentage of the vehicles produced: aesthetic, functional, noise and fitting tests.



Correct installation of the hydraulic systems.



100% electronic weighing of vehicles before deliverv.

THE PANORAMIC ROOF IS AVAILABLE AS AN OPTION ON THE TREND AND **PREMIUM RANGES.** 

#### ®E-UAN

)EL	Weight (kg)	E - VAN 2	E - VAN 5	E - VAN K2 TREND	E - VAN 2 TREND	E - VAN 4 TREND	MODEL	Weight (kg)	E - VAN 5 TREND	E - VAN 6 TREND	E - VAN DUO TREND	E - VAN DUO XL TREND	E - VAN K2 PRI
\$							Chasis						
nical unit	-	Fiat Ducato	Fiat Ducato	Fiat Ducato	Fiat Ducato	Fiat Ducato	Mechanical unit		Fiat Ducato	Fiat Ducato	Fiat Ducato	Fiat Ducato	Fiat Ducato
Power hp		2.3 MJ 140 CV	2.3 MJ 140 CV	Engine, Power hp		2.3 MJ 140 CV	2.3 MJ 140 CV	2.3 MJ 140 CV	2.3 MJ 140 CV	2.3 MJ 140 C			
im technically permissible weight (Kg)		3300	3300	3300	3300	3300	Maximum technically permissible weight (Kg)		3300	3300	3500	3500	3300
unladen in running conditions Min / Max (Kg)		2753 / 2933	2773/2953	2663/2883	2753/2933	2803/2963	Weight unladen in running conditions Min / Max (Kg)		2773/2953	2833/2972	2903/3143	2903/3143	2663/288
Min / Max (Kg)		367 / 547	347/527	417/637	367 / 547	337 / 497	Pay Load Min / Max (Kg)		347 / 527	327/468	357 / 597	357/597	417/63
se (mm)		4035	4035	3450	4035	4035	Wheelbase (mm)		4035	4035	4035	4035	3450
n towable weight (kg)		2500	2500	2500	2500	2500	Maximum towable weight (kg)		2500	2500	2500	2500	2500
mensions		15»	15»	15.0	15»	15»	Wheels dimensions		15»	15»	15»	15.0	15»
air conditioning		S	S	S	C	S	Manual air conditioning		5	S S	S S	S	S
nd Passenger airbag	-/-	S / S	S/S	S/S	s/s	\$/\$	Driver and Passenger airbag	-/-	s/s	S/S	S/S	5/5	S/S
introl with speed limiter	-	S	S	S	5/5	S	Cruise Control with speed limiter	-	S	\$	S S S S	S	S
C/Traction+	-/-/1	\$/\$/0	\$/\$/0	S/S/0	\$/\$/0	\$/\$/0	ABS / ESC / Traction+	-/-/1	\$/\$/0	\$/\$/0	\$/\$/0	s/s/0	S/S/
fuel tanks	12	0	0	0	5/3/0	0	90 litres fuel tanks	12	0	0	0	0	0
g drivers and passengers seat	-	S	S	Š	c c	S	Swivelling drivery and passengerys seat	-	š	Š	Š	S	S
covers		S	S	Š		Š	Cab seat covers		s	s s	s s	S	S
ic gear	39	Ō	0	ů ů	0	0	Automatic gear	39	ő	0	ů ů	ů ů	0
ab		WHITE	WHITE	WHITE	WHITE	WHITE	Painted cab		WHITE	WHITE	WHITE	WHITE	WHITE
olour		0	0	0	0	0	Metallic colour		0	0	0	0	0
ront bumper		ů.	0	Š	c	S	Painted front bumper		Š	ç	c c	2	\$
runnig light) / Antifog lights	0,5/2	0/0	0/0	0/5	0/5	0/5	DRL (Day runnig light) / Antifog lights	0,5/2	0/5	0/5	0/S	0/5	0/5
in Bluetooth with steering wheel radio controls	5	0	0	ç,	c	S	Radio 2 Din Bluetooth with steering wheel radio controls	5	ç	¢ (	¢75	\$7.5 \$	C 073
ons and places		ů.	U U U U U U U U U U U U U U U U U U U	3	3	Ŭ	Dimensions and places		5	j	5	5	5
enght (mm) / External width (mm)	-	5995 / 2050	5995 / 2050	541/205	599/205	599/205	External lenght (mm) / External width (mm)		599/205	599/205	636/205	636/205	541/2
eight(mm) / Internal height (mm)		265 / 189	265 / 189	265 / 189	265 / 189	265/189	External height(mm) / Internal height (mm)		265 / 189	265/189	265 / 189	265 / 189	265/1
ated seats		4	4	2037107	203/107	4	Homologated seats		2037107	2037107	4	4	4
ptional dinette)		2 + 1	4 + 1	2+1	2+1	2+1	Berths (optional dinette)		4+1	2+1	2+1	2+1	2+1
(cm)		190x144	186x144 - 186x132	190x133	190x144	190x144	Rear bed (cm)		186x144 - 186x132	174x75 - 190x62	195x80 - 190x80	-	190x13
iting Bed (cm)		-	-		170X144		Rear elevating Bed (cm)		-	174773 170702	1/3/00 1/0/00	190/180x192	-
ns Auxiliary bed in Dinette (cm)		180x97	180x97	140x45	180x97	180x97	Dimensions Auxiliary bed in Dinette (cm)		180x97	175x90	150x50	150x50	140x4
th ctayoc		S	S	S	100.77	S	Beds with staves		c	C C	S	S	S
ations		5	J. J	3	3	-	Installations		3	3	5	3	5
		2	2	2	2	2	Burners		2	2	2	2	2
acity : clear water / wastewater (L**)		100/90	100/90	90/90	100/90	100/90	Tank capacity : clear water / wastewater (L**)		100/90	100/90	100/90	100/90	90/90
fridge ( 220V, 12V, gas ) (L)				-	80	140	Trivalent fridge (220V, 12V, gas)(L)		80	-	80	-	
sor fridge (L)		70	70	70	00		Compressor fridge (L)		-	70	-	90	70
I heating system		4000Kw DIESEL	4000Kw DIESEL	4000Kw DIESEL	4000Kw DIESEL	4000Kw DIESEL	Standard heating system		4000Kw DIESEL	4000Kw DIESEL	4000Kw DIESEL	4000Kw DIESEL	4000Kw D
2 gas bottles (tot. Max 7 Kg)		S	S	S	4000KW DIESEL	S	Space for 2 gas bottles (tot. Max 7 Kg)		S	S	S	S	S
m window (double opaque glass)		S	S	S	s s	Š	Bathroom window (double opaque glass)		s	S	Š	S	S
ray with double drain			-	S	5	Š	Shower tray with double drain			s s	S		S
nsulation material		POLYURETHANE FOAM	POLYURETHANE FOAM	POLYESTER FIBER + ALUMINIUM	POLYESTER FIBER + ALUMINIUM	POLYESTER FIBER + ALUMINIUM	Internal insulation material		POLYESTER FIBER + ALUMINIUM	POLYESTER FIBER + ALUMINIUM	POLYESTER FIBER + ALUMINIUM	POLYESTER FIBER + ALUMINIUM	POLYESTER FIBER +
(ness (mm)	-	30	30	30	30	30	Floor thickness (mm)	-	30	30	30	30	30
					50	30	Skylight						
	-	2	2	1	1	1	400x400 mm skylight	-	1	1	1	1	1
mm skylight		0	0	1	1	1	Panoramic skylight 700x500 mm with blind / mosquito net	8	1	i	1	1	1
mm skylight	8			0	0	0	Fixed, panorama roof in the cab		0	0	0	0	0
nm skylight : skylight 700x500 mm with blind / mosquito net	8	-	· ·			5			ć	, , , , , , , , , , , , , , , , , , ,	c	c	S
nm skylight skylight 700x500 mm with blind / mosquito net orama roof in the cab	-	- -	-	S	S	S	Openable rear windows		5	5		3	C
m skylight kylight 700x500mm with blind / mosquito net ama roof in the cab ar windows	8	- - S	- - S	S S	S S	S S	Double-glazed windows with blind and mosquito net	-	S	S	S	S	3
m skylight skylight 700x500mm with blind / mosquito net rama roof in the cab ear windows zed windows with blind and mosquito net ts	8	5 - - S	s	s s	S S	S S	Double-glazed windows with blind and mosquito net		\$ \$	S S	S	S	3
nm skylight skylight 700x500mm with blind / mosquito net rorama roof in the cab ear windows zed windows with blind and mosquito net ts with integrated double bed	8	- - S	- - - S	S S O	S S	S S O			5 5 0	S S	5 5 0	5 5 0	0
mm skylight : skylight 700x500mm with blind / mosquito net orama roof in the cab rear windows azed windows with blind and mosquito net nts with integrated double bed	8	s s s/-	s , , , ,	S S 0 -/S	\$ \$ 0 ./\$	S S 0 -/S	Double-glazed windows with blind and mosquito net Equipments		S 0 -/S	0 -/S	5 5 0 -/5	0 -/S	0
nm skylight skylight 700x500mm with blind / mosquito net orama roof in the cab eraer windows azed windows with blind and mosquito net nts fwith integrated double bed pove the cabin / open space cabin b blind	8 - - - - -	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	0 5 0 -/5 5	\$ \$ 0 ./\$	S S O -/S S	Double-glazed windows with blind and mosquito net Equipments Lifting roof with integrated double bed Stowage above the cabin / open space cabin Pleated cab blind		S 0 -/S S	S S -/S S	5 5 -/5 5	0 -/S S	0 -/S S
m skylight skylight 700x500 mm with blind / mosquito net ram aroof in the cab ear windows red windows with blind and mosquito net ts with integrated double bed ove the cabin / open space cabin blind	8 - - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	0 5 -/5 5 5 5/0	\$ \$ 	S S 0 -/S S S/0	Double-glazed windows with blind and mosquito net Equipments Lifting roof with integrated double bed Stowage above the cabin / open space cabin	-/6	S 0 -/S S S/0	S 0 -/S S S/0	0 -/S S S/0	0 -/S S/0	0 -/S S S/C
n skylight cylight 700x500 mm with blind / mosquito net am aroof in the cab ar windows ed windows with blind and mosquito net s vith integrated double bed ve the cabin / open space cabin blind arpet		- S - S/- S/0 0	- - - - - - - - - - - - - - - - - - -	0 5 0 -/5 5 5/0 0	\$ 5 -/S \$ \$/0 0	S S -/S S/O O	Double-glazed windows with blind and mosquito net Equipments Lifting roof with integrated double bed Stowage above the cabin / open space cabin Pleated cab blind Cab / body carpet		5 0 -/S 5 5 0 0	S 0 -/S S/0 0	5 0 -/S S S/0 0	3 5 0 -/5 5 5/0 0	0 -/S S ( ) 0
n skylight sylight 700x500mm with blind / mosquito net ama roof in the cab ar windows ed windows with blind and mosquito net s ith integrated double bed ve the cabin / open space cabin Jind urpet D. holder		- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	0 5 5 0 -/S 5 5/0 0 5	\$ 5 -/S 5 5/0 0 5	S S -/S S/O S S	Double-glazed windows with blind and mosquito net Equipments Lifting roof with integrated double bed Stowage above the cabin / open space cabin Pleated cab blind		S 0 ./S S/0 0 S	S S -/S S/O O S	5 0 -/S 5 5/0 0 5	3 5 -/5 5 5/0 0 5	0 -/S S S/C 0 S
s skylight ylight 700x500mm with blind / mosquito net mar orof in the cab rr windows ed windows with blind and mosquito net ith integrated double bed ve the cabin / open space cabin lind rpet D holder ons in dinette	· · · · · · · · · · · · · · · · · · ·	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	0 5 5 -/5 5 5/0 0 5 0	\$ 5 -/S 5 5/0 0 5 0	S S O -/S S S/O O S O	Double-glazed windows with blind and mosquito net Equipments Lifting roof with integrated double bed Stowage above the cabin / open space cabin Pleated cab blind Cab / body carpet Swivelling LCD holder	4	5 0 -/5 5 5/0 0 5 0	S S -/S S S/O O S O	5 5 -/5 5 5/0 0 5 0	S 0 -/S S/0 0 S 0	0 -/S S/C 0 S/C
n skylight kylight 700x500 mm with blind / mosquito net ama roof in the cab ar windows ed windows with blind and mosquito net 55 with integrated double bed we the cabin / open space cabin blind arpet CD holder ions in dinette e	· · · · · · · · · · · · · · · · · · ·	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	0 5 5 0 -/5 5 5/0 0 5 0 5 0 5	\$ \$ ./S \$ \$/0 0 \$ 0 \$ \$	S S S S S S S S S S S S S S S S S S S	Double-glazed windows with blind and mosquito net Equipments Lifting roof with integrated double bed Stowage above the cabin / open space cabin Pleated cab blind Cab / body carpet Swivelling LCD holder Table extensions in dinette	4	S 0 -/S S S/0 0 S 0 S	S S -/S S S/0 0 S S S	5 0 -/S 5 5/0 0 5 0 5	3 5 0 -/5 5 5/0 0 5 0 5 0 5	0 -/S S/0 0 0 S S S S
m skylight kylight 700x500 mm with blind / mosquito net rama roof in the cab ear windows ted windows with blind and mosquito net ts with integrated double bed ove the cabin / open space cabin blind arpet CD holder isons in dinette e trical step	· · · · · · · · · · · · · · · · · · ·	S S S/- S S/0 0 0 0 S S	- - - - - - - - - - - - - - - - - - -	S S O -/S S/O O S S S	\$ 5 0 -/S 5 5/0 0 5 0 5 0 5 5	S S -/S S/O O S S S	Double-glazed windows with blind and mosquito net Equipments Lifting roof with integrated double bed Stowage above the cabin / open space cabin Pleated cab blind Cab / body carpet Swivelling LCD holder Table extensions in dinette Folding table Sliding electrical step	4 5 4	S 0 -/S S/0 0 S 0 S S	S S -/S S/O O S S O S S S	5 5 -/5 5 5/0 0 5 0 5 5 5	3 5 0 -/5 5 5/0 0 5 0 5 5	0 /S S/C 0 S S S S S S
m skylight skylight 700x500 mm with blind / mosquito net rama roof in the cab ear windows zed windows with blind and mosquito net ts with integrated double bed ove the cabin / open space cabin blind carpet .CD holder sions in dinette le trical step fer the dinette table	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	0 5 5 0 -/S 5 5/0 0 5 5 5 5 5	\$ 5 0 - / S 5 5 (0 0 5 0 5 5 5 5 5	S S O -/S S/O O S S S S	Double-glazed windows with blind and mosquito net Equipments Lifting roof with integrated double bed Stowage above the cabin / open space cabin Pleated cab blind Cab / body carpet Swivelling LCD holder Table extensions in dinette Folding table Sliding electrical step Storage under the dinette table	4 5 4	S O -/S S/O O S O S S S	S S -/S S/O O S S O S S S S S S S S	5 5 -/5 5/0 0 5 0 5 5 5 5 5	S S S/O O S S S S S S S S S S	0 -/S S/C S/C S S S S S
m skylight skylight 700x500 mm with blind / mosquito net rama roof in the cab ear windows zed windows with blind and mosquito net ts with integrated double bed ove the cabin / open space cabin blind carpet .CD holder sions in dinette le trical step der the dinette table or sliding door	· · · · · · · · · · · · · · · · · · ·	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	0 5 5 0 -/S 5/0 0 5 5 5 5 5 5 5 5 5	\$ 5 0 -/S 5 5/0 0 5 0 5 5 5 5 5 5	S S O -/S S S/O O S S S S S S S S S	Double-glazed windows with blind and mosquito net Equipments Lifting roof with integrated double bed Stowage above the cabin / open space cabin Pleated cab blind Cab / body carpet Swivelling LCD holder Table extensions in dinette Folding table Sliding electrical step Storage under the dinette table Flyscreen for sliding door	4 5 4	S 0 -/S S /0 0 S 0 S S S S S S S	S S -/S S/0 0 S S S S S S S S S S S S S S	5 5 -/S 5 5 0 5 5 5 5 5 5 5 5	3 5 0 -/5 5 5/0 0 5 0 5 5 5 5 5	0 -/S S S C S S S S S S S S S S
nm skylight skylight 700x500 mm with blind / mosquito net orama roof in the cab tear windows uzed windows with blind and mosquito net ts fwith integrated double bed over the cabin / open space cabin b blind carpet LCD holder sions in dinette ole ctrical step der the dinette table or sliding door D lightening	- - - - - - - - - - - - - - - - - - -	S S S S/O O O O S S S S S S	- - - - - - - - - - - - - - - - - - -	S S S O -/S S S/O O S S S S S S	\$ 5 -/S 5 5/0 0 5 0 5 5 5 5 5 5	S S O -/S S S/O O S S S S S S S S	Double-glazed windows with blind and mosquito net Equipments Lifting roof with integrated double bed Stowage above the cabin / open space cabin Pleated cab blind Cab / body carpet Swivelling LCD holder Table extensions in dinette Folding table Sliding electrical step Storage under the dinette table Flyscreen for sliding door	4 5 4	S O ·/S S S/O O S O S S S S S	S S -/S S/O O S S S S S S S S S S	S 0 -/S S/0 0 S 0 S S S S S S	3 5 0 -/5 5 5/0 0 5 5 5 5 5 5 5	0 /S S/C 0 S S S S S S S S S
nm skylight skylight 700x500 mm with blind / mosquito net orama roof in the cab tear windows seed windows with blind and mosquito net <b>15</b> With integrated double bed pove the cabin / open space cabin o blind carpet LCD holder sisions in dinette ole ctrical step der the dinette table or sliding door D lightening	· · · · · · · · · · · · · · · · · · ·	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	0 5 5 0 -/S 5 5/0 0 5 5 5 5 5 5 5 5 5	\$ 5 0 -/S 5 5/0 0 5 0 5 5 5 5 5 5 5	S S O -/S S S/O O S S S S S S S S S	Double-glazed windows with blind and mosquito net Equipments Lifting roof with integrated double bed Stowage above the cabin / open space cabin Pleated cab blind Cab / body carpet Swivelling LCD holder Table extensions in dinette Folding table Sliding electrical step Storage under the dinette table Flyscreen for sliding door Internal LED lightening Exteriors	4 5 4	S O -/S S/O O S O S S S S S S	S S -/S S/O O S S S S S S S S S S	5 5 -/5 5 5/0 0 5 5 5 5 5 5 5	S S S S/O O S S S S S S S S S S S	0 ./S S/C 0 S S S S S S S S
mm skylight : skylight 700x500 mm with blind / mosquito net orama roof in the cab rear windows azed windows with blind and mosquito net <b>nts</b> fwith integrated double bed bove the cabin / open space cabin b blind r carpet LCD holder nsions in dinette ble setrical step der the dinette table for sliding door D lightening	· · · · · · · · · · · · · · · · · · ·	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	S S S S S S S S S S S S S S S S S S S	\$ 0 -/S \$ \$/0 0 \$ 0 \$ 0 \$ 0 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S O -/S S/O O S S S S S S S S S S	Double-glazed windows with blind and mosquito net Equipments Lifting roof with integrated double bed Stowage above the cabin / open space cabin Pleated cab blind Cab / body carpet Swivelling LCD holder Table extensions in dinette Folding table Sliding electrical step Storage under the dinette table Flyscreen for sliding door Internal LED lightening Exteriors Rear view camera	4 5 4 - - - - 1	S 0 -/S S S/0 0 S S S S S S S S S S	S S O -/S S S/O O S S S S S S S S S S S S	3 5 0 -/S 5 5/0 0 5 5 5 5 5 5 5 5 5 5	3 5 0 -/5 5 5/0 0 5 5 5 5 5 5 5 5 5	0 -/S S/C 0 S S S S S S S S S
mm skylight cskylight 700x500 mm with blind / mosquito net rear windows azed windows with blind and mosquito net <b>nts</b> of with integrated double bed bove the cabin / open space cabin is blind / carpet LCD holder nsions in dinette ble sctrical step nder the dinette table for sliding door ED lightening amera al (fitted) with regulator	· · · · · · · · · · · · · · · · · · ·	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	S S S S S S S S S S S S S S S S S S S	S S O -/S S S/O O S S S S S S S S S S S O C	S S O -/S S/O O S S S S S S S S S S S O O	Double-glazed windows with blind and mosquito net Equipments Lifting roof with integrated double bed Stowage above the cabin / open space cabin Pleated cab blind Cab / body carpet Swivelling LCD holder Table extensions in dinette Folding table Sliding electrical step Storage under the dinette table Flyscreen for sliding door Internal LED lightening Exteriors Rear view camera Solar Panel (fitted) with regulator	4 5 4 - - - - 1 11	S O ·/S S S/O O S O S S S S S S C	S S S S S S S S S S S S S S S S S S S	S S S S/O O S S S S S S S S S S S S S S	3 5 0 -/S 5 5/0 0 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0 -/S S/C 0 S S S S S S S S S S S S S S S S S S
mn skylight skylight 700x500 mm with blind / mosquito net orama roof in the cab rear windows azed windows with blind and mosquito net <b>nts</b> fwith integrated double bed bove the cabin / open space cabin b blind carpet LCD holder sions in dinette ble ctrical step der the dinette table or sliding door D lightening	· · · · · · · · · · · · · · · · · · ·	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	S S S S S S S S S S S S S S S S S S S	S S O - /S S S (O O S S S S S S S S S S S S S S S S S S	S S O -/S S S/O O S S S S S S S S S S S O O O	Double-glazed windows with blind and mosquito net Equipments Lifting roof with integrated double bed Stowage above the cabin / open space cabin Pleated cab blind Cab / body carpet Swivelling LCD holder Table extensions in dinette Folding table Sliding electrical step Storage under the dinette table Flyscreen for sliding door Internal LED lightening Exteriors Rear view camera	4 5 4 - - - - 1	S O -/S S/O O S O S S S S S C O C	S S S S S S S S S S S S S S S S S S S	0 -/S S S/0 0 S S 0 S S S S S S S	S S S S/O O S S S S S S S S S S S S S S	0 -/5 S/0 0 S S S S S S S S S S S S S S S S S

\* The values shown represent the minimum value of the vehicle in the basic configuration, and the maximum value that includes the maximum weight of accessories available and that can be installed in the basic configuration in the factory. \*\*To increase the vehicle payload, when travelling it is possible to reduce the fresh water tank capacity to approx. 20 lt.

\* The values shown represent the minimum value of the vehicle in the basic configuration, and the maximum value that includes the maximum weight of accessories available and that can be installed in the basic configuration in the factory. \*\*To increase the vehicle payload, when travelling it is possible to reduce the fresh water tank capacity to approx. 20 lt.

#### SE-UEN

Lifting roof with integrated double bed         -         0         0         0         0         0         0           Stowage above the cabin / open space cabin         -         -/S         S								
Action         V         Note of the set of the	MODEL		F - VAN 2 PREMIUM	F - VAN 4 PREMIUM	F - VAN 5 PREMIUM	F - VAN 6 PREMIUM	F - VAN DIJO PREMIJIM	E - VAN DIJO XI PREMILIM
Median is in memory disc with ways for the memory	MODEL	(kg)						
Medical sine memory discovery field sharing memory discovery f								
Medmin sink memory discovery field sharpy and sharpy weight expension sharpy for and sharpy and sharpy being sharpy <td>Chasis</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Chasis							
Sepace, Persenting seques, P	Mechanical unit		Fiat Ducato	Fiat Ducato				
Advance stands dependence of the stands of the st			2 3 M I 140 CV		2.3 M I 140 CV	2 3 M I 140 CV		
Weight queries unergonocies for Analysis         2 255 (233)								
Day Land X, Mar Yang         Total         By Street Y, Mar Yang         Street Y, Mar Y	Weight unladen in running conditions Min / Max (Kg)							
Westbackmin         ·         4433         4433         4433         1403         1403         1403         1403           Westbackmin         -         750         750         750         700			367 / 547		347/527			
Mathem Baskle wight Main         Con         Con <thcon< th="">         Con         <thcon< th=""></thcon<></thcon<>			4035	4035				
Weeks densions         Use of the second	Maximum towable weight (kg)							
Mund arcontening procession by part in								
Dipert and Standing adds         /.1         S / S								
Cubic Control of Specificity         5         6 <th7< th="">         6         6         <th7< <="" td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th7<></th7<>								
ASX ISX Index         -/.1         S/S/0	Cruise Control with speed limiter	-/-						
Obline of anise game set at a set and a set		1/1				c/c/o		
Seventing freew and passengers seat         ·         S         S         S         S         S         S         S         S           Bail color         · <td>90 litres fuel tanks</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	90 litres fuel tanks							
Chan drover         ·         S <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>c</td></th<>								c
Automa (span)         39         0         0         0         0         0         0         0         0           Printed (not humore)         1         0			-	-	-		3	5
Print of of Mail Color Mail Colo					3			
Mealing column         ·         0         0         0         0         0         0         0           Baland Instrumer         5         0         5								Ū
Painted forubanger (NUTSy mane) galarit Anticip larits (NUTSy mane) galarit Anticip larits (NUTSY mane) galarit Anticip larits (NUTSY mane) galarits (NUTS) larits (NUTSY mane) galarits (NUTSY mane) (NUTSY MANE) galarits (NUTSY MANE) galarits		-						
DB(1)         O_1S         O_1S         O_1S         O_1S         O_1S         O_1S         O_1S         O_1S           Sector 1000000000000000000000000000000000000								
Badia 2011         *5         5         5         5         5         5         5         5           Badia 2011         Balance and an and and and and and and and and		05/2						
Observal places         Point Startal and Places         Start All Startal and All All All Startal an		0,572						
Extensi lenght (min)         -         1         399/205         599/205         599/205         636/205         636/205           Extensi lenght (min)         -         4 <t< td=""><td></td><td>5</td><td>3</td><td>ے ک</td><td>3</td><td>5</td><td>5</td><td>5</td></t<>		5	3	ے ک	3	5	5	5
External melaphtmomi/iterarahesph (mm)         ·         225/189 <t< td=""><td></td><td></td><td>E00 / 20E</td><td>E00 / 20E</td><td>E00 / 20E</td><td>F00 / 20F</td><td>(2) (205</td><td>(2) (205</td></t<>			E00 / 20E	E00 / 20E	E00 / 20E	F00 / 20F	(2) (205	(2) (205
Hemologistic sets         .         4         4         4         4         4         4         4           Retrik (dina linetic)         .         190.14.4         190.14.4         180.14.4         180.14.4         174.05         170.02         175.00 <td< td=""><td>External height (mm) / External height (mm)</td><td></td><td>399/203</td><td>3997203</td><td></td><td></td><td></td><td></td></td<>	External height (mm) / External height (mm)		399/203	3997203				
Berths (pitchal dinetie)         -         2 +1         2 +1         4 +1         2 +1								
Barber (m) Barber (m)								
Rear elevating Bed (m)         .								
Dimension Aurilary bed in Directer (m)         ·         180.97         180.97         180.97         180.97         175.90         150.50         150.50           dest with stress         ·         ·         ·         ·         ·         ·         S <t< td=""><td></td><td></td><td></td><td></td><td>186X144 - 186X132</td><td>1/4x/5 - 190x62</td><td>195x80 - 190x80</td><td></td></t<>					186X144 - 186X132	1/4x/5 - 190x62	195x80 - 190x80	
Bets with states         -         S <ths< th="">         S         S</ths<>					- 100.07	-	-	
Installations         V         Partners         2         100/90         100         1		-						
Burness         ·         2 </td <td>Beds with staves</td> <td>•</td> <td>5</td> <td>5</td> <td>5</td> <td>S</td> <td>S</td> <td>5</td>	Beds with staves	•	5	5	5	S	S	5
Inh. cape(y: clear water / wastworte (1**)         I         100 / 90				<u>^</u>	2			
Tivizent fridge (2200, 120, gs.) (1)         I         80         1.0         80         1.0         80         1.0         1.0         90           Standard heating system         -         4000Kw DIESEL         5<								
Compresentinge (L)         ·	lank capacity : clear water / wastewater (L^^)					100/90		100/90
Standard heating system         -         4000kw DISEL         4000kw DISEL<	Irivalent fridge ( 220V, 12V, gas ) (L)		80	140	80		80	
Space for 2 gas bottles (cut Max 7 kg)         .         S         S         S         S         S         S         S           Shower indy (double opagies)         .         S<			-	-	-		-	
Bathoon window (double paque glass)         .         S	Standard heating system						4000Kw DIESEL	
Shore rtay with double drain         ·         ·         S         ·         S         PLytester Hale + ALUMINIUM         POLYtester Hale + ALUMINIUM	Space for 2 gas bottles (tot. Max 7 Kg)			-	S	5	S	S
Internalinsulation material         -         POLYESTER FIBER + ALUMINIUM         POLYESTER FIBER + ALUMIN	Bathroom window (double opaque glass)	•	S		S	3	S	S
Floor thickness (mm)         .         30         30         30         30         30         30         30         30           400x400 mm skylight         .         1         1         1         1         1         1         1           400x400 mm skylight         .         0         0         0         0         0         0           Panaramic skylight         .         .         0         0         0         0         0         0           Appandam skylight         .	Shower tray with double drain		-		-			-
Skylight         Unit		-						
400400 ms kylight 0         -         1         1         1         1         1         1         1           Fixed, panoram arof in the cab         -         0		•	30	30	30	30	30	30
Panamicskylight/200500 nm with bilind / mosquito net         8         1         1         1         1         1         1         1           Cipenalbe rear windows         -         S	Skylight							
fixed, pancama roof in the cab         .         0         0         0         0         0         0         0           Openable eras windows         .         S <t< td=""><td>400x400 mm skylight</td><td></td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td></t<>	400x400 mm skylight		1	1	1	1	1	1
Openable rear windows          S	Panoramic skylight /00x500 mm with blind / mosquito net	8	1	1	1	1	1	1
Double-glazed windows with blind and mosquito net         -         S         S         S         S         S         S           Equipments         -	Fixed, panorama root in the cab			0			0	0
Equipments         O <tho< td=""><td></td><td></td><td></td><td>S</td><td>5</td><td></td><td>S</td><td>S</td></tho<>				S	5		S	S
Lifting roof with integrated double bed          0         0         0         0         0         0           Stowage above the cabin / open space cabin         /S		-	S	S	S	S	S	S
Stowage above the cabin / open space cabin         .         . / S	Equipments							
Pleated cab blind-SSSSSSCab / body carpet-/6S/OS/OS/OS/OS/OS/OS/OS/OCab / body carpet-/6S/OOOOOOOOTable extensions in dinette5SSS<		-						
Cab / body carpet./6S/0S/0S/0S/0S/0S/0S/0S/0Swivelling LCD holder40000000Table extensions in dirette5SSSSSSFolding table4SSSSSSSFolding table4SSSSSSSSSliding electrical step-SSSSSSSSStorage under the dinette table-SS		-						
Swivelling LCD holder         4         0         0         0         0         0         0           Table extensions in dirette         5         S		· ·						
Table extensions in dinetteSSSSSSFolding table4SSSSSSSliding delectrical step-SSSSSSStorage under the dinette table-SSSSSSSStorage under the dinette table-SSSSSSSSStorage under the dinette table-SS <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
Folding table4SSSSSSliding electrical step-SSSSSSStorage under the dinette table-SSSSSSSStorage under the dinette table-SSS <td< td=""><td></td><td>4</td><td></td><td>0</td><td></td><td></td><td></td><td>0</td></td<>		4		0				0
Sliding electrical step-SSSSStorage under the dinette tableSSSSFlyscreen for sliding doorSSSSSFlyscreen for sliding doorSSSSSSInternal LED lighteningSSSSSSSExteriorsRear view camera1SSSSSSSSolar Panel (fitted) with regulator11OOOOOOAwning34OOOOOOCExternal LED light-SSSSSSS			0	S	5	3	3	S
Storage under the dinette table         .         S <t< td=""><td></td><td>4</td><td>S</td><td></td><td>S</td><td>S</td><td>S</td><td>S</td></t<>		4	S		S	S	S	S
Storage under the dinette table         .         S <t< td=""><td>Sliding electrical step</td><td>-</td><td>S</td><td>S</td><td>S</td><td>S</td><td>S</td><td>S</td></t<>	Sliding electrical step	-	S	S	S	S	S	S
Internal LED lightening         -         S         S         S         S         S         S           Exteriors         - </td <td>Storage under the dinette table</td> <td></td> <td>S</td> <td>S</td> <td>S</td> <td>S</td> <td>S</td> <td>S</td>	Storage under the dinette table		S	S	S	S	S	S
Exteriors         S	Flyscreen for sliding door		S	S	S	S	S	S
Exteriors         S	Internal LED lightening			S	S			S
Solar Panel (fitted) with regulator         11         0	Exteriors							
Awning         34         0 </td <td></td> <td>1</td> <td>S</td> <td>S</td> <td>S</td> <td>S</td> <td>S</td> <td>S</td>		1	S	S	S	S	S	S
Awning         34         0         0         0         0         0         0         0           External LED light         - <td></td> <td>11</td> <td></td> <td></td> <td></td> <td></td> <td>0</td> <td>0</td>		11					0	0
External LED light - S S S S S S S S			0	0	0	0	0	0
Length - Length - Dychard - Dychard - Length - L	External LED light		S	S	S	S	S	S
							1	S- Standard O- Ontional Not Available

S= Standard O= Optional - = Not Available

\* The values shown represent the minimum value of the vehicle in the basic configuration, and the maximum value that includes the maximum weight of accessories available and that can be installed in the basic configuration in the factory.

\*\*To increase the vehicle payload, when travelling it is possible to reduce the fresh water tank capacity to approx. 20 lt.

#### NOTES

#### PAYLOAD

2007/46/EC. sheets.

The masses indicated in this catalogue refer to the provisions of European Directive 2007/46/EC.

#### MASS IN RUNNING ORDER

It includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-1 tank), fresh water (tank filled with 20 I while travelling), and a gas tank for living purposes (20 kg). The mass in running order, and consequently the payload and/or certified seats may vary depending on the accessories installed.

This consists of the difference between the maximum technically permissible laden mass and the mass in running order. It includes elements for living purposes, the transported passengers

defined by the manufacturer (driver excluded), and the personal effects. The payload calculation is based on the following parameters: 75 kg for each passenger (driver excluded), 10 kg of baggage for each passenger and for the driver, 10 kg for each metre of length of the vehicle, plus the remaining payload, which can be used for the installation of accessories or

for additional baggage. All masses and loads of the empty vehicle have a tolerance of +/- 5%, in compliance with Directive

Any optional equipment increases the mass in running order and decreases the payload. The weight of non-standard accessories is not included in the mass in running order indicated in this catalogue.

Additional accessories and devices reduce the payload by a quantity equal to their weight; the incidence of the weight of the individual accessories is shown in the special column in the technical data sheets or can be requested at our dealers.

In case certain accessories are installed (for example, additional elements such as coupling device or motorbike rack), the mass of these accessories will affect the payload, possibly reducing it along with the number of certified seats. Please note that the law does not allow the maximum permissible mass to be exceeded, which can be consulted under the specific heading of the data

Please make sure that the maximum loads on the axles and the maximum technically permissible load mass are not exceeded during the complete loading phase of the vehicle. The regulations and requirements of each country may entail changes in the characteristics of this

The number of certified seats may vary depending on the traffic regulations in force in each country. When driving, the fresh water tank must be filled to a maximum of 20 litres.





SEA S.p.A. operates with an Integrated Environment and Safety Management System.

#### **ELNAGH**

Just a click away!

The ELNAGH world at the click of a button. On **www.elnagh.com** every product detail, model photos, sales network. All the innovations in real time, special initiatives, limited offers and much more.



Connect from your PC, tablet or smartphone and discover the ELNAGH web world!



www.elnagh.com



#### NOTES

ELNAGH reserves itself the right to change the characteristics and the furnishings of all its models with no advance notice required; all data contained in this leaflet must therefore be considered approximate and non-binding. Despite thorough checks of the contents, we cannot exclude possible printing and/or translating errors.

This catalogue does not constitute contractual documentation.

For the above reasons, all information relating to the specifications and equipment of each model must be requested prior to purchase from the dealer, who, as the sole contact person, will confirm or correct the data published by updating the customer on the characteristics and actual equipment of the relevant vehicle being negotiated.

Any reproduction, including in part, of the test or of the content of this document is prohibited.

The indicated weights are exclusively approximated. Tolerances of +/-5 % are allowed.

Generally speaking, special equipment and options increase the no-load weight and entail a reduction in the payload.

We hereby decline any and all responsibility in case structural changes are made to the vehicle; any assembly, disassembly or changes carried out by unauthorised workshops may jeopardise your safety and cause the warranty clauses to be forfeited.

For additional information on installation and technical details, please contact one of our dealers.